



King's Research Portal

DOI:

[10.1016/j.cosust.2018.04.009](https://doi.org/10.1016/j.cosust.2018.04.009)

Document Version

Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Liu, J., Dou, Y., Batistella, M., Challies, E., Connor, T., Friis, C., Millington, J. DA., Parish, E., Romulo, C. L., Silva, R. F. B., Triezenberg, H., Yang, H., Zhao, Z., Zimmerer, K. S., Huettmann, F., Treglia, M. L., Basher, Z., Chung, M. G., Herzberger, A., ... Sun, J. (2018). Spillover systems in a telecoupled Anthropocene: typology, methods, and governance for global sustainability. *Current opinion in environmental sustainability*, 33, 58-69. <https://doi.org/10.1016/j.cosust.2018.04.009>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

**Spillover systems in a telecoupled Anthropocene:
Typology, methods, and governance for global sustainability**

Jianguo Liu ¹, Yue Dou ¹, Mateus Batistella ^{2,3}, Edward Challies ^{4,5}, Thomas Connor ¹, Cecilie Friis ⁶, James D.A. Millington ⁷, Esther Parish ⁸, Chelsie Romulo ⁹, Ramon Felipe Bicudo da Silva ³, Heather Triezenberg ^{1,10}, Hongbo Yang ¹, Zhiqiang Zhao ¹, Karl Zimmerer ¹¹, Falk Huettmann ¹², Michael L. Treglia ¹³, Zeenatul Basher¹, Min Gon Chung ¹, Anna Herzberger ¹, Andrea Lenschow ¹⁴, Altaaf Mechiche-Alami ¹⁵, Jens Newig ¹⁶, James Roche ^{1,10}, Jing Sun ¹

¹ Center for Systems Integration and Sustainability, Department of Fisheries and Wildlife, Michigan State University, East Lansing, MI 48823, United States

² Embrapa, Brazilian Agricultural Research Corporation, Brasilia, DF 70770-901, Brazil

³ Center for Environmental Studies and Research, State University of Campinas, Campinas, SP 13083-970, Brazil

⁴ Research Group on Governance, Participation and Sustainability, Leuphana University of Lüneburg, Lüneburg 21335, Germany

⁵ Waterways Centre for Freshwater Management, University of Canterbury and Lincoln University, Christchurch 8140, New Zealand

⁶ IRI THESys & Geography Department, Humboldt-Universität zu Berlin, Unter den Linden 6, 10099 Berlin, Germany

⁷ Department of Geography, King's College London, London, WC2R 2LS, United Kingdom

⁸ Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37830, United States

⁹ Environmental and Sustainability Studies, University of Northern Colorado, Greeley, CO 80639, United States

¹⁰ Michigan Sea Grant, Department of Fisheries and Wildlife, Michigan State University Extension, East Lansing, MI 48823, United States

¹¹ GeoSyntheSES Lab (Geographic Syntheses for Social Ecological Sustainability), Department of Geography, Earth and Environmental Systems Institute (EESI), Pennsylvania State University, University Park, PA 16801, United States

¹² -EWHALE lab- Institute of Arctic Biology, Biology & Wildlife Department, University of Alaska Fairbanks (UAF), Fairbanks, AK 99775, United States

¹³ New York City Program, The Nature Conservancy, New York, NY 10001, United States

¹⁴ Jean-Monnet-Chair of European Integration, Osnabrück University, Osnabrück D-49074, Germany

¹⁵ Department of Physical Geography and Ecosystem Science, Lund University, Lund 22100, Sweden

¹⁶ Chair of Governance and Sustainability, Leuphana University of Lüneburg, Lüneburg 21335, Germany

Corresponding author: Jianguo Liu (liuji@msu.edu, Office Phone 517-432-5025)

Abstract

The world has become increasingly telecoupled through distant flows of information, energy, people, organisms, goods, and matter. Recent advances suggest that telecouplings such as trade and species invasion often generate spillover systems with profound effects. To untangle spillover complexity, we make the first attempt to develop a typology of spillover systems based on six criteria: flows from and to sending and receiving systems, distances from sending and receiving systems, types of spillover effects, sizes of spillover systems, roles of agents in spillover systems, and the origin of spillover systems. Furthermore, we highlight a portfolio of qualitative and quantitative methods for detecting the often-overlooked spillover systems. To effectively govern spillover systems for global sustainability, we propose an overall goal (minimize negative and maximize positive spillover effects) and three general principles (fairness, responsibility, and capability).

Highlights

- Telecouplings have generated widespread spillover systems worldwide
- We develop a typology of spillover systems based on six criteria
- Spillover systems are often overlooked but can be uncovered using various methods
- We propose an overall goal and three general principles to govern spillover systems

Introduction

Increasing environmental and socioeconomic interactions across the world is a distinct feature of the Anthropocene [1]. Telecoupling is a newly developed umbrella concept that encompasses a broad range of socioeconomic and environmental interactions over distances [1], such as international trade [2], foreign direct investment, animal migration [3], human migration [4], tourism, travel, species invasion [5], disease spread, transfers of pollutants and waste, payments for ecosystem services, technology transfer, and knowledge transfer [6**].

Telecouplings intimately connect coupled human natural systems around the world, and many telecouplings generate complex and profound socioeconomic and environmental impacts across local to global scales. Such impacts have important implications for achieving global initiatives such as the United Nations Sustainable Development Goals [7], the Paris Agreements [8], and the Aichi Targets [9]. Although many telecouplings have existed for a long time, their rapid expansions require new frameworks to understand the unprecedented interconnections and feedbacks within the new and evolving contexts in the Anthropocene.

Conceptually, the telecoupling framework offers a useful analytical lens for effective sustainability research and policy [1,10]. It explicitly views global interconnectivity as flows among interrelated units of analysis, e.g., sending, receiving, and spillover systems [1,11]. Sending and receiving systems are entities that send and receive flows of information, material, energy, goods, products, capital, people, knowledge, techniques, ideas, and/or organisms. Spillover systems are entities that affect, or are affected by, interactions between sending and receiving systems. For example, spillover systems are created when an interaction between a sending and receiving system generates flows and effects that spill over to other locations.

1 However, the classification of systems as sending, receiving or spillover systems depend on their
2 function as well as the research question or the analytical perspective of the researcher [12].

3 The notion of spillover systems is related to widely used concepts (Liu J, Hull V,
4 Batistella M, DeFries R, Dietz T, Fu F, Hertel TW, Izaurralde RC, Lambin EF, Li S, et al.:

5 **Framing Sustainability in a Telecoupled World.** *Ecology and Society* 2013, **18**.

6 1. Lenzen M, Moran D, Kanemoto K, Foran B, Lobefaro L, Geschke A: **International trade**
7 **drives biodiversity threats in developing nations.** *Nature* 2012, **486**:109-112.

8 2. Hulina J, Bocetti C, Campa III H, Hull V, Yang W, Liu J: **Telecoupling framework for**
9 **research on migratory species in the Anthropocene.** *Elem Sci Anth* 2017, **5**.

10 3. Zimmerer KS, Lambin EF, Vanek SJ: **Smallholder telecoupling and potential**
11 **sustainability.** *Ecology and Society* 2018, [in press].

12 4. Ascunce MS, Yang CC, Oakey J, Calcaterra L, Wu WJ, Shih CJ, Goudet J, Ross KG,
13 Shoemaker D: **Global invasion history of the fire ant *Solenopsis invicta*.** *Science* 2011,
14 **331**:1066-1068.

15 5. ** Liu J: **Integration across a metacoupled world.** *Ecology and Society* 2017, **22**.

16 An integrated framework of metacoupling is proposed to systematically frame and analyze
17 human-nature interactions within a system (intracoupling), between distant systems
18 (telecoupling), and between adjacent systems (pericoupling). The paper demonstrates that there
19 are spillover systems and effects under telecoupling, pericoupling, and/or intracoupling.

20 6. United Nations: **Transforming our world: the 2030 Agenda for Sustainable**
21 **Development.** *New York: United Nations* 2015. Available online:

22 7. UNFCCC C: **Adoption of the Paris Agreement. I: Proposal by the President (Draft**
23 **Decision), United Nations Office, Geneva (Switzerland)** 2015.

24 8. Secretariat of the C.B.D.: **The strategic plan for biodiversity 2011-2020 and the aichi**
25 **biodiversity targets.** 2010.

26 9. Eakin H, DeFries R, Kerr S, Lambin EF, Liu J, Marcotullio PJ, Messerli P, Reenberg A,
27 Rueda X, Swaffield SR, Wicke B, Zimmerer KS: **Significance of telecoupling for**
28 **exploration of land-use change.** In *Rethinking Global land Use in an Urban Era*: MIT
29 Press; 2014.

30 10. * Friis C, Nielsen J: **Land-use change in a telecoupled world: the relevance and**
31 **applicability of the telecoupling framework in the case of banana plantation expansion**
32 **in Laos.** *Ecology and Society* 2017, **22**.

33 The paper presents a qualitative operationalisation of the telecoupling framework using
34 ethnographic data and progressive contextualisation. The authors identify multiple telecouplings
35 linking a banana land system in northern Laos to land systems elsewhere, and illustrate how this
36 banana system is not only a receiving system of major capital and migrant labour inflows, but
37 also a spillover system of an important political conflict between China and the Philippines.

38 11. Friis C, Nielsen JØ, Otero I, Haberl H, Niewöhner J, Hostert P: **From teleconnection to**
39 **telecoupling: taking stock of an emerging framework in land system science.** *Journal of*
40 *Land Use Science* 2016, **11**:131-153.

41 12. Anselin L: **Spatial externalities.** Sage Publications; 2003.

42 13. Lewis DJ, Barham BL, Zimmerer KS: **Spatial externalities in agriculture: Empirical**
43 **analysis, statistical identification, and policy implications.** *World Development* 2008,
44 **36**:1813-1829.

14. Van Noordwijk M, Poulsen JG, Ericksen PJ: **Quantifying off-site effects of land use change: filters, flows and fallacies**. *Agriculture, Ecosystems & Environment* 2004, **104**:19-34.
 15. Meyfroidt P, Rudel TK, Lambin EF: **Forest transitions, trade, and the global displacement of land use**. *Proceedings of the National Academy of Sciences of the United States of America* 2010, **107**:20917-20922.
 16. Lambin EF, Meyfroidt P: **Global land use change, economic globalization, and the looming land scarcity**. *Proceedings of the National Academy of Sciences of the United States of America* 2011, **108**:3465-3472.
 17. Weinzettel J, Hertwich EG, Peters GP, Steen-Olsen K, Galli A: **Affluence drives the global displacement of land use**. *Global Environmental Change* 2013, **23**:433-438.
 18. * Wang F, Liu J: **Conservation planning beyond giant pandas: the need for an innovative telecoupling framework**. *Science China Life Sciences* 2016.
- This paper illustrates how the telecoupling framework can be used for conservation planning. It shows how a small giant panda conservation area is telecoupled with multiple systems through flows, many of which are spillover systems.
19. Deines JM, Liu X, Liu J: **Telecoupling in urban water systems: an examination of Beijing's imported water supply**. *Water International* 2016, **41**:251-270.
 20. * Yang W, Hyndman D, Winkler J, Viña A, Deines J, Lupi F, Luo L, Li Y, Basso B, Zheng C, Ma D, Li S, Liu X, Zheng H, Cao G, Meng Q, Ouyang Z, Liu J: **Urban water sustainability: framework and application**. *Ecology and Society* 2016, **21**.
- This paper applies the telecoupling framework to identify spillover systems in the context of urban water sustainability.
21. Yang D, Cai J, Hull V, Wang K, Tsang YP, Liu J: **New road for telecoupling global prosperity and ecological sustainability**. *Ecosystem Health and Sustainability* 2016, **2**.
 22. Liu J, Yang W: **Integrated assessments of payments for ecosystem services programs**. *Proceedings of the National Academy of Sciences of the United States of America* 2013, **110**:16297-16298.
 23. Liu J, Hull V, Moran E, Nagendra H, Swaffield SR, Turner B: **Applications of the telecoupling framework to land-change science**. In *Rethinking Global Land Use in an Urban Era*: MIT Press; 2014.
 24. Carlson AK, Taylor WW, Liu J, Orlic I: **The Telecoupling Framework: An Integrative Tool for Enhancing Fisheries Management**. *Fisheries* 2017, **42**:395-397.
 25. * Tonini F, Liu J: **Telecoupling Toolbox: spatially explicit tools for studying telecoupled human and natural systems**. *Ecology and Society* 2017, **22**.
- This paper describes a toolbox that can be used to visualize and analyze a variety of socioeconomic and environmental issues with the telecoupling framework. It provides some examples and tools to help readers understand telecoupling and spillover systems.
26. Liu J, Hull V, Yang W, Viña A, Chen X, Ouyang Z, Zhang H (Eds): *Pandas and People: Coupling Human and Natural Systems for Sustainability*: Oxford University Press; 2016.
 27. Torres A, Brandt J, Lear K, Liu J: **A looming tragedy of the sand commons**. *Science* 2017, **357**:970-971.
 28. Dauvergne P: *The shadows of consumption: Consequences for the global environment*: MIT press; 2008.
 29. Friis C, Nielsen JØ: **On the System. Boundary Choices, Implications, and Solutions in Telecoupling Land Use Change Research**. *Sustainability* 2017, **9**:974.

30. ** Liu J, Mooney H, Hull V, Davis SJ, Gaskell J, Hertel T, Lubchenco J, Seto KC, Gleick P, Kremen C, Li S: **Systems integration for global sustainability**. *Science* 2015, **347**:1258832. This paper identifies the urgent need to use systems integration frameworks to study global challenges. It also address future research directions , including the quantification of spillover systems and feedbacks.
31. Liu J, Yang W, Li S: **Framing ecosystem services in the telecoupled Anthropocene**. *Frontiers in Ecology and the Environment* 2016, **14**:27-36.
32. * Liu J, Hull V, Luo J, Yang W, Liu W, Viña A, Vogt C, Xu Z, Yang H, Zhang J, et al.: **Multiple telecouplings and their complex interrelationships**. *Ecology and Society* 2015, **20**. This paper shows the multiple telecoupling processes between a protected area and the rest of the world. The telecoupling processes have various properties and effects, and they interact with each other and evolve over time.
33. Eakin H, Rueda X, Mahanti A: **Transforming governance in telecoupled food systems**. *Ecology and Society* 2017, **22**.
34. Silva RFB, Batistella M, Dou Y, Moran E, Torres SM, Liu J: **The Sino-Brazilian telecoupled soybean system and cascading effects for the exporting country**. *Land* 2017, **6**:53.
35. Zimmerer KS, Vaca HLR: **Fine-grain spatial patterning and dynamics of land use and agrobiodiversity amid global changes in the Bolivian Andes**. *Regional Environmental Change* 2016, **16**:2199-2214.
36. Kanemoto K, Moran D, Lenzen M, Geschke A: **International trade undermines national emission reduction targets: New evidence from air pollution**. *Global Environmental Change* 2014, **24**:52-59.
37. Liu J: **Forest sustainability in China and implications for a telecoupled world**. *Asia & the Pacific Policy Studies* 2014, **1**:230-250.
38. White R: *Transnational environmental crime: Toward an eco-global criminology*: Routledge; 2011.
39. Bierman VJ, Kaur J, DePinto JV, Feist TJ, Dilks DW: **Modeling the role of zebra mussels in the proliferation of blue-green algae in Saginaw Bay, Lake Huron**. *Journal of Great Lakes Research* 2005, **31**:32-55.
40. Lynch J: **Toxic Lake Erie algae spotted but drinking water safe**. The Detroit News; 2015. Available online: <http://www.detroitnews.com/story/news/local/michigan/2015/07/28/toxic-lake-erie-algae-found-drinking-water-safe/30788237/>
41. Balmford A, Beresford J, Green J, Naidoo R, Walpole M, Manica A: **A Global Perspective on Trends in Nature-Based Tourism**. *Plos Biology* 2009, **7**.
42. Gaines SD, White C, Carr MH, Palumbi SR: **Designing marine reserve networks for both conservation and fisheries management**. *Proceedings of the National Academy of Sciences* 2010, **107**:18286-18293.
43. Lewis DJ, Barham BL, Robinson B: **Are there spatial spillovers in the adoption of clean technology? The case of organic dairy farming**. *Land Economics* 2011, **87**:250-267.
44. Brown J: **Zoo orders Chinese food delivery from Holland: Edinburgh-based panda breeding plan described as 'madness' after bamboo is sourced in Netherlands**. 08 Nov 2011. *The Independent* 2011.

45. Buckingham KC, David JNW, Jepson P: **Environmental reviews and case studies: diplomats and refugees: panda diplomacy, soft “cuddly” power, and the new trajectory in panda conservation.** *Environmental Practice* 2013, **15**:262-270.
 46. Parish ES, Herzberger AJ, Phifer CC, Dale VH: **Telecoupled transatlantic wood pellet trade provides benefits in both the sending and receiving systems.** *Ecology and Society* 2018, [In press].
 47. Leisz SJ, Rounds E, Thi Bich Yen N, Nguyen Bang T, Douangphachanh S, Ninchaleune B: **Telecouplings in the east–west economic corridor within borders and across.** *Remote Sensing* 2016, **8**:1012.
 48. International Civil Aviation Organization: **Carbon emissions calculator.** Montréal, Quebec, Canada; 2014. Available online: <http://www.icao.int/environmental-protection/CarbonOffset/Pages/default.aspx>
 49. * Sun J, Tong YX, Liu J: **Telecoupled land-use changes in distant countries.** *Journal of Integrative Agriculture* 2017, **16**:368-376.
- Using remote sensing data, this paper demonstrates the simultaneous agricultural land use changes in the receiving, sending, and spillover systems associated with international food trade.
50. Zhao M, Zhang Y, Ma W, Fu Q, Yang X, Li C, Zhou B, Yu Q, Chen L: **Characteristics and ship traffic source identification of air pollutants in China's largest port.** *Atmospheric environment* 2013, **64**:277-286.
 51. Ravindran MS: **China’s potential for economic coercion in the South China Sea disputes: a comparative study of the Philippines and Vietnam.** *Journal of Current Southeast Asian Affairs* 2013, **31**:105-132.
 52. Zimmerer KS: **The compatibility of agricultural intensification in a global hotspot of smallholder agrobiodiversity (Bolivia).** *Proceedings of the National Academy of Sciences of the United States of America* 2013, **110**:2769-2774.
 53. Kastner T, Schaffartzik A, Eisenmenger N, Erb KH, Haberl H, Krausmann F: **Cropland area embodied in international trade: Contradictory results from different approaches.** *Ecological Economics* 2014, **104**:140-144.
 54. *Bruckner M, Fischer G, Tramberend S, Giljum S: **Measuring telecouplings in the global land system: a review and comparative evaluation of land footprint accounting methods.** *Ecological Economics* 2015, **114**:11-21.
- This paper discusses the land embodied in international trade. By reviewing the shortcomings of existing accounting methods, the authors proposed that, instead of physical flows, the use of monetary flow as a proxy may contribute to robust and transparent assessment.
55. Schaffartzik A, Haberl H, Kastner T, Wiedenhofer D, Eisenmenger N, Erb KH: **Trading land: a review of approaches to accounting for upstream land requirements of traded products.** *Journal of industrial ecology* 2015, **19**:703-714.
 56. Xiong H, Millington, J.D.A and Xu, W: **Trade in the Telecoupling Framework: Evidence from Metal Industry.** *Ecology and Society* 2017, [In press].
 57. Parker DC, Munroe DK: **The geography of market failure: edge-effect externalities and the location and production patterns of organic farming.** *Ecological Economics* 2007, **60**:821-833.
 58. Eftelioglu E, Jiang Z, Ali R, Shekhar S: **Spatial computing perspective on food energy and water nexus.** *Journal of Environmental Studies and Sciences* 2016, **6**:62-76.
 59. Sun J, Wu W, Tang H, Liu J: **Spatiotemporal patterns of non-genetically modified crops in the era of expansion of genetically modified food.** *Scientific Reports* 2015, **5**.

60. Dou Y, Silva RFB, Yang H, Liu J: **Spillover effect offsets the conservation effort in the Amazon**. *Journal of Geographical Sciences* 2018, [In press].
 61. Snijders TA: **Statistical models for social networks**. *Annual Review of Sociology* 2011, **37**.
 62. Alcamo J, Kreileman E, Leemans R: **Global models meet global policy: How can global and regional modellers connect with environmental policy makers? What has hindered them? What has helped?** *Global Environmental Change* 1996, **6**:255-259.
 63. Alcamo J, Leemans R, Kreileman E: *Global change scenarios of the 21st century: Results from the IMAGE 2.1 model*. Pergamon: Elsevier; 1998.
 64. * Millington JD, Xiong H, Peterson S, Woods J: **Integrating Modelling Approaches for Understanding Telecoupling: Global Food Trade and Local Land Use**. *Land* 2017, **6**:56.
- This paper provides perspectives on how to incorporate different approaches to model telecoupling dynamics and effects.
65. Creswell JW, Creswell JD: *Research design: Qualitative, quantitative, and mixed methods approaches*: Sage publications; 2009.
 66. Creswell JW, Clark VLP: *Designing and conducting mixed methods research*. Los Angeles: SAGE Publications; 2010.
 67. Johnson RB, Onwuegbuzie AJ, Turner LA: **Toward a definition of mixed methods research**. *Journal of mixed methods research* 2007, **1**:112-133.
 68. Challies E, Newig J, Lenschow A: **What role for social–ecological systems research in governing global teleconnections?** *Global environmental change* 2014, **27**:32-40.
 69. * Lenschow A, Newig J, Challies E: **Globalization’s limits to the environmental state? Integrating telecoupling into global environmental governance**. *Environmental Politics* 2016, **25**:136-159.
- This paper discusses environmental governance challenges posed by the global telecoupling, and considers a range of policy and governance options potentially open to states to address environmental problems arising within and beyond national borders as a result of telecoupling.
70. Boström M, Jönsson AM, Lockie S, Mol AP, Oosterveer P: **Sustainable and responsible supply chain governance: challenges and opportunities**. *Journal of Cleaner Production* 2015, **107**:1-7.
 71. Neilson J, Pritchard B, Yeung HWC: **Global value chains and global production networks in the changing international political economy: An introduction**. *Review of International Political Economy* 2014, **21**:1-8.
 72. Ponte S, Gibbon P, Vestergaard J: *Governing through standards: Origins, drivers and limitations*: Palgrave Macmillan; 2011.
 73. Kalfagianni A, Pattberg P: **Participation and inclusiveness in private rule-setting organizations: does it matter for effectiveness?** *Innovation: The European Journal of Social Science Research* 2013, **26**:231-250.
 74. Cease AJ, Elser JJ, Fenichel EP, Hadrich JC, Harrison JF, Robinson BE: **Living with locusts: Connecting soil nitrogen, locust outbreaks, livelihoods, and livestock markets**. *Bioscience* 2015, **65**:551-558.
 75. McDermott M, Mahanty S, Schreckenberg K: **Examining equity: a multidimensional framework for assessing equity in payments for ecosystem services**. *Environmental Science & Policy* 2013, **33**:416-427.
 76. Pascual U, Phelps J, Garmendia E, Brown K, Corbera E, Martin A, Gomez-Baggethun E, Muradian R: **Social equity matters in payments for ecosystem services**. *BioScience* 2014, **64**:1027-1036.

77. Schomers S, Matzdorf B: **Payments for ecosystem services: A review and comparison of developing and industrialized countries.** *Ecosystem services* 2013, **6**:16-30.
78. Calvet-Mir L, Corbera E, Martin A, Fisher J, Gross-Camp N: **Payments for ecosystem services in the tropics: a closer look at effectiveness and equity.** *Current Opinion in Environmental Sustainability* 2015, **14**:150-162.
79. Fang Q, Elliott M: **China: prevent misuse of eco-compensation.** *Nature* 2016, **533**:321-321.
80. Dales JH: *Pollution, property & prices: an essay in policy-making and economics*: Edward Elgar Publishing; 2002.
81. Choi AS, Ritchie BW: **Willingness to pay for flying carbon neutral in Australia: an exploratory study of offsetter profiles.** *Journal of Sustainable Tourism* 2014, **22**:1236-1256.
82. Sikor T, Auld G, Bebbington AJ, Benjaminsen TA, Gentry BS, Hunsberger C, Izac A-M, Margulis ME, Plieninger T, Schroeder H: **Global land governance: from territory to flow?** *Current Opinion in Environmental Sustainability* 2013, **5**:522-527.
83. U.S. Department of Agriculture National Institute of Food and Agriculture: **Extension.** Washington, D.C.; 2015. Available online: <https://nifa.usda.gov/Extension/>
84. National Sea Grant College Program: **National Sea Grant College Program Act.** NSGCP. Silver Spring, Maryland; 2014. Available online: <https://legcounsel.house.gov/Comps/National%20Sea%20Grant%20College%20Program%20Act.pdf>
85. Ekanem E, Mafuyai-Ekanem M, Tegegne F, Muhammad S, Singh S: **Consumer trust in extension as a source of biotech food information.** *Journal of Extension* 2006, **44**.
86. Association of Public and Land-Grant Universities: **Cooperative Extension Section.** Available online: www.aplu.org/members/commissions/food-environment-and-renewable-resources/board-on-agriculture-assembly/cooperative-extension-section/
87. Pielke Jr RA: *The honest broker: making sense of science in policy and politics*: Cambridge University Press; 2007.
88. Meyfroidt P, Lambin EF: **Forest transition in Vietnam and displacement of deforestation abroad.** *Proceedings of the National Academy of Sciences* 2009, **106**:16139-16144.
89. Gan J, McCarl BA: **Measuring transnational leakage of forest conservation.** *Ecological Economics* 2007, **64**:423-432.
90. Oliveira PJ, Asner GP, Knapp DE, Almeyda A, Galván-Gildemeister R, Keene S, Raybin RF, Smith RC: **Land-use allocation protects the Peruvian Amazon.** *Science* 2007, **317**:1233-1236.
91. Lapola DM, Schaldach R, Alcamo J, Bondeau A, Koch J, Koelking C, Priess JA: **Indirect land-use changes can overcome carbon savings from biofuels in Brazil.** *Proceedings of the National Academy of Sciences of the United States of America* 2010, **107**:3388-3393.
92. Arima EY, Richards P, Walker R, Caldas MM: **Statistical confirmation of indirect land use change in the Brazilian Amazon.** *Environmental Research Letters* 2011, **6**:024010.
93. Didham RK, Barker GM, Bartlam S, Deakin EL, Denmead LH, Fisk LM, Peters JM, Tylianakis JM, Wright HR, Schipper LA: **Agricultural intensification exacerbates spillover effects on soil biogeochemistry in adjacent forest remnants.** *PLoS One* 2015, **10**:e0116474.
94. Vanderploeg H: **The Zebra Mussel Connection: Nuisance Algal Blooms, Lake Erie Anoxia, and other Water Quality Problems in the Great Lakes.** Silver Spring, Maryland:

- 1 National Oceanic and Atmospheric Administration, Great Lakes Environmental Research
2 Laboratory; 2002.
- 3 95. Associação Nacional Para Difusão de Adubos [Brazilian National Fertilizer Association]:
4 **Principais indicadores do setor de fertilizantes 2017** [Main indicators of the fertilizers
5 **market 2017**]. Available online:
6 http://www.anda.org.br/estatistica/Principais_Indicadores_2016.pdf

Table 1) such as spatial externalities [13,14], off-site impacts [15], displacements [16], leakages and indirect land use changes [17,18]. However, the concept of spillover systems is more comprehensive than these related concepts which focus on effects. Spillover systems in this paper are explicitly associated with telecoupling causes, sending and receiving systems, flows, agents, and effects [6**]. The concept also goes beyond disciplinary fields, explicitly incorporating both socioeconomic and environmental linkages with sending and/or receiving systems.

Recent studies have brought increasing attention to spillover systems, including spillover effects (e.g. [19*, 20, 21*, 22-25, 26*, 27, 28]). However, the diffuse and illusive nature of spillover systems makes them inherently difficult to detect, study, and govern [6**]. This is in part because they are largely hidden from the main interactions between sending and receiving systems [29]. For example, in international trade, attention is focused on trade partners, while other parties are often overlooked. Identifying and understanding spillover systems is a new, important frontier in sustainability research, and the telecoupling framework helps facilitate analysis of issues beyond primary interactions [12,30]. Minimizing negative effects and amplifying positive effects of telecoupling on spillover systems is essential for achieving global sustainability goals, targets, and agreements. It urgently requires integrative research across disciplinary boundaries and a portfolio of methods to address the challenges involved with spillover systems, now and in the future.

To advance spillover system research and governance, we aim to (1) develop a typology of spillover systems with illustrative examples, (2) highlight methods for investigating spillover systems, and (3) discuss spillover system governance goal and principles.

Typology of Spillover Systems

To disentangle the complexity of spillover systems, we develop a typology of spillover systems according to six criteria: flows from and to sending and receiving systems, distances between sending/receiving systems and spillover systems, types of effects on spillover systems, sizes of spillover systems, roles of agents in spillover systems, and origins of spillover systems.

Spillover systems based on flow directions

There are four distinct ways that spillover systems connect to sending and receiving systems through various flows (Figure 1, Table 2): (1) Sending/receiving-linked spillover systems are connected with both sending and receiving systems (Figure 1a). For example, in the global food trade system, many countries (e.g. Canada) can be viewed as spillover systems because they are affected by or affect soybean exports from Brazil (sending system) to China (receiving system, the largest soybean importing country in the world) [31*] (Figure 2). (2) Sending-linked spillover systems are only connected with sending systems (Figure 1b). In the case of China's South-North Water Transfer Project, a large quantity of water is transferred from the water source (Yangtze River in south China, sending system) to the water transfer destinations (e.g., Beijing in north China, receiving system). Connected to the sending system but not directly connected with the receiving system, the Yangtze Delta has become a spillover system and is suffering from increasing seawater encroachment due to the reduction of water from the sending system of the transfer project [32]. (3) Receiving-linked spillover systems are only connected with receiving systems (Figure 1c). For example, in the international panda loans

1 program, zoos outside China (receiving systems) borrow giant pandas from Wolong Nature
2 Reserve in southwestern China (sending system) [33*]. In this case, spillover systems connected
3 with the receiving systems would include areas that grow bamboo to feed the pandas in those
4 zoos and the areas from which people travel to see the pandas. (4) Stopover spillover systems are
5 connected with sending and receiving systems by being an intermediate stopover or point in the
6 pathway between the sending and receiving systems (Figure 1d). For example, during migration
7 following the breeding season, Kirtland's warblers travel long distances from the sending
8 systems (breeding sites in Michigan) to receiving systems (wintering grounds in the Bahamas),
9 and make stops in between to rest and feed. Those stopover sites or staging sites are spillover
10 systems of this migration, which has both ecological and socioeconomic implications [3].

11 12 *Distant vs adjacent spillover systems*

13
14 Distances between spillover systems and associated sending and receiving systems can be
15 geographical, environmental, ecological, institutional, or social [6*,10,30,34]. That is, spillover
16 systems and sending and/or receiving systems can be separated across geographical space (e.g.,
17 measured in kilometers) [4], or separated by institutional ties such as food and energy sectors
18 governed by different institutional arrangements [34]. Spillover systems can also be separated
19 socially where their agents can be physically close, yet socially distant from the sending and
20 receiving systems [4].

21 We exemplify distant versus adjacent spillover systems over geographic distances (Table
22 2). Spatially distant spillover systems are located far from sending and receiving systems,
23 whereas adjacent spillover systems are nearby. In the example of soybean trade between Brazil
24 and China [35], countries such as Canada that export fertilizers to Brazil, which produces
25 soybeans for China, are distant (e.g., ~7,400 km between the capitals of Canada and Brazil and
26 ~17,000 km between the capitals of Brazil and China, Figure 2). Adjacent spillover systems are
27 just beyond the borders of the sending and/or receiving system. For example, globally funded
28 development projects supporting the construction of irrigation canals and the development of
29 new agricultural production systems in developing countries (e.g., in the Bolivian Andes) have
30 inadvertently impacted adjacent farmers and fields through channel overflow and the adoption of
31 the new production systems among local farmers [4,36].

32 33 *Spillover systems with positive vs negative effects*

34
35 Effects of telecoupling on spillover systems can be valued as either positive or negative
36 outcomes. Distinguishing these effects depends on who experience them, research questions and
37 perspectives as well as their assumptions, values, and goals. For example, many spillover effects
38 on the environment are negative, such as emissions of greenhouse gases [31*], pollution [37],
39 biodiversity loss [2], deforestation [38], and socioeconomic loss [39]. A specific example of a
40 negative spillover effect is the invasion of zebra mussels (*Dreissena polymorpha*) from the Black
41 and Caspian Seas to the Great Lakes of the United States (USA) resulting from the 1980s grain
42 trade between the American Midwest and the Soviet Union (Table 2). Oceangoing vessels
43 transported zebra mussels from Soviet ports in their ballast water and discharged them into the
44 Great Lakes on their return journeys. The zebra mussels now create water quality problems in the
45 Great Lakes by selectively filtering the non-toxic algae that would naturally compete with toxic
46 algae [40]. The concentration of toxic *Mycrocystis* and other blue-green algae led to a recent

1 drinking water crisis in northern Ohio and southern Michigan where 400,000 people had water
2 deemed undrinkable for several days [41].

3 Examples of positive spillover effects consist of education opportunities in visiting zoos
4 that increase environmental awareness and promote environmental actions [33*], economic
5 benefits from tourism-related industries that manufacture and sell goods (e.g., outdoor gears) and
6 services [42], carbon sequestration from increased biomass through conservation investments
7 [33*], increased fish stock and catch in unprotected regions surrounding marine protected areas
8 [43], conservation of the biodiversity (e.g., fruits and crop seeds) for agriculture [36], and
9 incentives of desired outcomes including reduced production, input, or infrastructure costs in
10 conversions to organic agriculture [4,14,44]. For example, a bamboo farm on the outskirts of
11 Amsterdam, the Netherlands, (a spillover system) received more than US\$100,000 annually for
12 providing organic bamboo shoots to feed the pandas in Edinburgh Zoo (receiving system) from
13 Wolong Nature Reserve (sending system) [45,46].

14 *Large vs small spillover systems*

15
16
17 Spillover systems can vary drastically in size, whether considered as the geographic area
18 covered or the number of people affected. For example, the transport of goods between two
19 distant countries or regions generate greenhouse gas emissions that impact the rest of the world
20 as a spillover system through climate change effects [47]. Even transporting a pair of pandas
21 from the sending system (Wolong Nature Reserve) to Edinburgh, Scotland, via a Boeing 777
22 could emit 232,000 kg of CO₂ one way alone [33*]. In contrast, some spillover systems are small,
23 such as rural villages in Bolivia [36], Laos [11*], and the East-West Economic Corridor between
24 Vietnam and Thailand [48]. Regarding the East-West Economic Corridor in Southeast Asia [48],
25 for example, the establishment of an economic corridor (major cities on the corridor are
26 receiving systems) by domestic governments, foreign aid and overseas investment (as sending
27 systems that send and facilitate investment) spurred growth and specifically, the construction of
28 cassava processing facilities. Farmers in nearby villages (spillover systems) have also increased
29 cassava cultivation, further catalyzed by the improved transportation infrastructure [48].

30 *Active vs passive spillover systems*

31
32
33 Spillover systems can also be classified as active or passive based on the role of various
34 agents in relation to the main flows in a given telecoupled system. Agents in spillover systems
35 can be active or passive participants in telecouplings. The role of active agents is exemplified in
36 spillover systems that are generated in relation to international land transfers or land grabbing.
37 For example, some agents in the spillover systems actively facilitate land transfers by providing
38 information and introducing agents in the sending and receiving systems, i.e., land demanding
39 and land supplying countries [24]. In contrast, greenhouse gases emissions and oil spills often
40 create passive spillover systems, where agents in these spillover systems do not generate these
41 processes. For instance, the spillover system arising from CO₂ emissions by tourists traveling
42 between sending and receiving systems is passive. CO₂ emissions by a tourist flying in economy
43 class from Detroit, USA, to Chengdu, China, via Beijing would produce approximately 1,705 kg
44 of CO₂ and the rest of the Earth system, including Beijing, is affected passively [49]. Active and
45 passive spillover systems may coexist in the same telecoupling. In the above case, for example,
46 Beijing is also an active spillover system whose agents provide services to tourists [33*].

Origin-based spillover systems

Spillover systems may have different origins. They can transform from sending or receiving systems of the same telecoupled system, or emerge from systems of a different telecoupling.

Spillover systems are formerly sending systems (i.e., sending-converted). For instance, the USA was the largest sending system of soybeans to China between 1995 and 2012 (not including 2011, see [35]), but has been overtaken by Brazil since 2013 [35]. Thus, although the USA is still a major soybean sending system to China, it is now also a spillover system experiencing the negative effects of a declining global market share of soybean exports to China due to the competition from Brazil [50*].

Receiving systems can also transition to spillover systems (i.e., receiving-converted). The ancient city of Shanghai, for instance, has recently become the world's largest container shipping port [51]. Thus, Shanghai was and still is a receiving system for goods, but it is also a spillover (stopover) system for other international trade.

Systems that were not previously in the telecoupled system can transform into spillover systems (i.e., new spillover systems). Invasion of fire ants (*Solenopsis invicta*) is a good example. Fire ants were inadvertently introduced into the southern USA (receiving system) from South America (sending system) via sea shipping early in the last century and, more recently, introduced into California (spillover system) from southern USA [5]. Fire ants were then introduced into southern Taiwan from California [5]. In this case, Taiwan that was not invaded by fire ants and not part of the telecoupled system is a new spillover system because the flow was redirected by the shipping from California.

Systems can have multiple typologies and roles

It is important to note that these classifications may overlap. For example, a small spillover system may have positive or negative effect, and may be far away or adjacent to a sending system or receiving system. Furthermore, a system may have multiple roles, e.g., a spillover system may also be simultaneously a sending or receiving system in different telecouplings such as the above-mentioned Shanghai as receiving and spillover systems simultaneously [51].

Methods for Investigating Spillover Systems

Similar to investigating sending and receiving systems, research on spillover systems and the range of processes that create them requires a portfolio approach with integrative research that draws on qualitative, quantitative, and mixed methods (Table 2). These methods range from molecular markers and global positioning systems (GPS) to remote sensing, from interviews to archival research, from first-hand measurements to secondary data analysis, from field observations to computer simulations, and from qualitative to quantitative analysis such as modeling and spatial statistics using Geographic Information Systems (GIS) (Table 2). This range of methods is characteristic of research on spillover systems while the same methods can also be used in research on sending and receiving systems.

Qualitative methods

Many qualitative methods are useful for identifying spillover systems (Table 2). Ethnographic fieldwork and qualitative inquiry, for example, can enable the analysis of important political, cultural and environmental interactions through the experiences and narratives of the agents involved. Such methods are especially useful to capture spillover systems and non-material flows (such as the movement of information and ideas) due to their open-ended nature. For example, Friis & Nielsen [11^{*}] used in-depth interviews with stakeholders involved in the expansion of banana plantations in northern Laos to qualitatively analyze the multiple telecouplings that link banana land systems to other land systems, near and far. By progressively contextualizing how and why the banana plantation expansion took place, detailed ethnographic data illustrated how the banana land system was not only a receiving system of major capital and migrant labor inflows, but also a spillover system of an important political conflict between China and the Philippines, affecting the banana trade and the wider relationships between those countries [30,52]. Further contextualization and triangulation of primary qualitative data with local and international news reports, archival material, secondary literature and grey sources can also provide valuable means for detecting spillover systems. In the Lao banana case, local and international media reports pointed to the existence of a spillover system in banana producing regions of China, where catastrophic typhoon events had destroyed banana plantations, thereby increasing the demand for bananas from Laos [11^{*}].

Focus-group and community interviews are also valuable for distinguishing spillover systems and the mechanisms through which they occur. In the case of biodiversity conservation of maize in South America, Zimmerer and collaborators used interviews with farmers to identify and evaluate spillover systems and the key mechanisms involved, including the coordination of irrigation and production systems among small-size fields [4,36,53]. Furthermore, the researchers employed the triangulation technique that adds an important methodological cross-check of information. The triangulation technique involved incorporated focus-group interviews with the multi-member irrigators' association where diverse views and experiences were discussed and analyzed.

Quantitative methods

Investigating spillover systems also benefits from many quantitative methods (Table 2), including mathematical and statistical, network, simulation and scenario analyses. Recently, many market and trade-related telecouplings involving economic and material flows have been analyzed using land footprint accounting and input-output models (e.g. [54, 55^{*}, 56, 57]). In the case of land use, econometric modelling can be used for distinguishing and characterizing spillover systems [14,44,58]. Remote sensing analysis, spatial statistics, and Geographic Information Systems can also be highly useful for describing spatial patterns and processes [50^{*},59,60]. Indeed they are essential to estimating adjacent spillover systems, especially when combined with methods such as join-count statistics [44]. Statistical regression modelling can be used with empirical data to explore relationships between flows, causes and effects in spillover systems. For example, Dou et al. [61] estimated the contribution from flows and other factors (e.g., population, available land resource) to the deforestation rate in the Brazilian Cerrado biome as a spillover system. Advances in network analysis [62] enable consideration of both sending and receiving systems, as well as spillover systems simultaneously.

Combining and synthesizing quantitative methods to examine scenarios of change will be particularly important for understanding spillover effects and options for future sustainability. Computer simulation models that combine quantitative data and findings from approaches such as regression, artificial intelligence, or network analysis are particularly well-suited to investigate and predict changes in spillover systems through time, because they can simulate temporal dynamics and “emergent” phenomena that arise through interactions among system components. Although simulation models that allow dynamic representation of global systems have existed for many decades (e.g. [63,64]), it is only with recent conceptual and computing advances that the first hybrid models that integrate multiple approaches have emerged. For example, Millington et al. [65*] describe the hybrid structure of a telecoupling simulation model to investigate long-term dynamics of local land use and global food trade for various socioeconomic, policy, and environmental scenarios. Dou et al. [61] used their Brazil telecoupling regression model with a scenario in which the Brazilian Soy Moratorium was absent in the Amazon biome to estimate the deforestation rate in the Cerrado biome spillover system.

Mixed methods

Mixed methods, which employ various combinations of quantitative and qualitative methods (including but not limited to those presented above), are often needed for detecting and analyzing spillover systems and tracking their occurrence over time and across space. They can harness the strengths of multiple complementary methods and ways of understanding the world [66,67], and can provide pragmatic approaches (sensible and realistic ways based on practical instead of theoretical considerations) to complex and multi-faceted research problems [68]. Applications of mixed methods may be achieved by employing complementary approaches in sequence, wherein the insights gained via one method build on prior findings of other methods, or by employing a number of methods in parallel for the triangulation or corroboration of results and increased analytical rigor in a single study. Different combinations of methods may be applied to data collection, analysis, inference, and interpretation to obtain new insights.

A number of spillover system studies have already used mixed methods. For instance, Leisz et al. [48] identified rural villages on both sides of the border between Vietnam and Thailand as spillover systems from the investment in economic activity of the East-West Economic Corridor, through spatial analysis of remote sensing data and data from interviews with government officials, university staff acting as non-formal educators and community facilitators (hereafter called extension agents), and village members. Mapping and visualization techniques are also effective mixed-methods approaches for revealing patterns of spillover systems [26*]. For example, Figure 2 demonstrates the power of maps and graphs to illustrate soybean flows from Brazil and the spillover systems arising due to Brazilian demand for fertilizer. Similarly, Xiong et al. [57] used chord diagrams and other visualizations to examine flows and spillover systems with embedded greenhouse gas emissions in the global metal trade.

Governance of Spillover Systems

1 It is important to integrate spillover systems into telecoupling governance in a holistic
2 manner. Telecouplings pose important new challenges for sustainability governance [34,69,70*].
3 They transcend traditional territories and jurisdictional levels, implicate diverse agents across the
4 public-private spectrum, and connect multiple production and consumption sectors. Some
5 particular telecouplings have attracted the attention of regulatory authorities, NGOs, and other
6 civil society groups due to pressure to address negative social and environmental impacts – for
7 example, along supply chains and in global sourcing networks. The literatures on supply chain
8 management [71], global value chain governance [72], and multi-stakeholder standards [73]
9 detail many examples of attempts to govern social and environmental impacts across diverse
10 sectors. The success of such governance arrangements remains the subject of considerable debate
11 [74]. As spillover systems and related socioeconomic and environmental effects are widely
12 dispersed, efforts to govern telecouplings for sustainability must take account of spillover
13 systems.

14 Spillover systems are particularly challenging for governance as they rarely appear on the
15 agendas of individual states or multilateral governing authorities and regimes, or even hybrid
16 governing entities such as multi-stakeholder platforms and ‘roundtables’. While network
17 governance and supply chain governance have achieved some success through various public-
18 private and hybrid governance arrangements (e.g. codes, standards, voluntary labels, and private
19 rules), they may miss spillover systems. In order for governance to account for impacts in
20 spillover systems and other parts of the telecoupled systems as a whole, they must become
21 apparent. Furthermore, given the complex interconnectivity and non-linear cascading effects that
22 give rise to spillover systems, it is likely that efforts to govern for sustainability in one place
23 affect sustainability in other places. In this way, governance interventions – whether in the form
24 of policy programs or other governing efforts – may themselves produce new dependencies and
25 have ripple effects.

26 To effectively govern telecouplings with special attention to spillover systems, we
27 propose an overall goal and three general principles. The overall goal is to minimize and avoid
28 negative effects, while maximizing positive effects of telecoupled system interactions. The
29 general principles are fairness, responsibility, and capability. First, fairness means that negative
30 effects should be compensated for [6[”]] and positive effects should be shared. How to determine
31 ways and amounts of compensation may draw experiences in payments for economic damage
32 [75], ecosystem services [76-78], environmental pollution [79-81], as well as carbon offsets in
33 some travel-related activities [82]. Second, responsibility refers to the duty that various agents
34 have in relation to specific spillover effects. If agents in spillover systems do not participate in
35 generating the effects, agents in sending and/or receiving systems should be accountable for the
36 effects. Third, capability refers to the relevant agents’ ability to cover the cost of negative effects
37 or reap the benefits of positive effects.

38 To achieve the overall goal and follow the general principles outlined above, it is
39 important to incorporate information on spillover systems into decision making. For example,
40 trade agreements should incorporate spillover systems by going beyond trade partners. In
41 addition to traditional place-based governance approaches (central focus on place), it is
42 important to take a flow-based approach, which considers a place in light of its relationships with
43 other places, by tracking and managing where key flows start, progress, and end [3,83]. Flow-
44 based governance can also be directly targeted at the flows themselves, e.g., aimed at managing
45 the value chains of products, through certification schemes, or the flow of money by taxation,
46 etc.

For different types of spillover systems (Table 2), governance approaches should vary accordingly. The governance responses may include market mechanisms, regulations, regional, bilateral and international agreements. While further research is required to identify feasible and effective governance options for the various types of spillover systems, it is clear that governance responses will need to be tailored to specific systems. For instance, for negative spillover effects, responsible parties should offset the cost. On the other hand, relevant parties should share the positive spillover effects. Small and large spillover systems will require small to large degrees of cross-jurisdictional and multi-level governance. Governing adjacent spillover systems might draw upon successful experiences in working with neighbors. To revise the existing or develop new governance mechanisms for specific spillover systems, it would be most effective and efficient to engage relevant stakeholders (e.g., citizens and policy makers) across local to global levels.

To make stakeholders aware of spillover systems and to implement flow-based approaches to governance, extension programs can help stakeholders such as the World Trade Organization (WTO) and relevant government agencies frame issues within a telecoupled context. In the USA, for example, agricultural extension professionals are part of a nation-wide, non-credit education network created by the Smith-Lever Act in 1914 [84]. A parallel extension network focuses on marine, coastal and Great Lakes issues through the Sea Grant network created by the National Sea Grant College Program Act in 1966 [85]. Extension agents provide research-based information to farmers, fishermen, and other stakeholders and work to identify and address current issues and problems through public policy education, facilitation, and applied research [84,86,87]. As such, extension agents exemplify the importance of mediating agents that serve as bridges bringing together various other agents with skills to facilitate the co-design, co-production, and co-implementation of research projects on spillover systems. Mediating agents can also serve as honest brokers [88] of policy alternatives directed at telecoupled systems at the local to regional levels. It would be valuable to scale this approach to the global level, including extension efforts across the United Nations system.

Concluding Remarks

Recent studies indicate that spillover systems are widespread and are a key piece of the sustainability puzzle in a telecoupled world. To untangle the complexity of spillover systems, we make a first attempt to classify them into different types based on six criteria. Even though spillover systems are often overlooked, a variety of methods have proved to be effective in uncovering them. Spillover systems have profound implications for the Sustainable Development Goals and for many other global challenges. Governing spillover systems should follow three general principles (fairness, responsibility, and capability) toward the overall goal of minimizing negative and maximizing positive spillover effects. To achieve global sustainability in the Anthropocene, spillover systems must be explicitly recognized and systematically characterized in sustainability research and governance so that effective policies and practices can be developed and implemented to safeguard humankind and its planetary support systems.

Acknowledgements

We thank the guest editors for inviting us to write this paper, and Sue Nichols, Andrea N. Raya Rey and an anonymous reviewer for their constructive comments on an early draft. Funding from the National Science Foundation [1518518], NASA-MSU Professional Enhancement Award Program [NNX10AD19G], and Michigan AgBioResearch and Extension are gratefully acknowledged.

Declarations of interest

None.

References

96. Liu J, Hull V, Batistella M, DeFries R, Dietz T, Fu F, Hertel TW, Izaurrealde RC, Lambin EF, Li S, et al.: **Framing Sustainability in a Telecoupled World**. *Ecology and Society* 2013, **18**.
97. Lenzen M, Moran D, Kanemoto K, Foran B, Lobefaro L, Geschke A: **International trade drives biodiversity threats in developing nations**. *Nature* 2012, **486**:109-112.
98. Hulina J, Bocetti C, Campa III H, Hull V, Yang W, Liu J: **Telecoupling framework for research on migratory species in the Anthropocene**. *Elem Sci Anth* 2017, **5**.
99. Zimmerer KS, Lambin EF, Vanek SJ: **Smallholder telecoupling and potential sustainability**. *Ecology and Society* 2018, [in press].
100. Ascunce MS, Yang CC, Oakey J, Calcaterra L, Wu WJ, Shih CJ, Goudet J, Ross KG, Shoemaker D: **Global invasion history of the fire ant *Solenopsis invicta***. *Science* 2011, **331**:1066-1068.
101. ** Liu J: **Integration across a metacoupled world**. *Ecology and Society* 2017, **22**. An integrated framework of metacoupling is proposed to systematically frame and analyze human-nature interactions within a system (intracoupling), between distant systems (telecoupling), and between adjacent systems (pericoupling). The paper demonstrates that there are spillover systems and effects under telecoupling, pericoupling, and/or intracoupling.
102. United Nations: **Transforming our world: the 2030 Agenda for Sustainable Development**. New York: United Nations 2015. Available online:
103. UNFCCC C: **Adoption of the Paris Agreement. I: Proposal by the President (Draft Decision)**, United Nations Office, Geneva (Switzerland) 2015.
104. Secretariat of the C.B.D.: **The strategic plan for biodiversity 2011-2020 and the aichi biodiversity targets**. 2010.
105. Eakin H, DeFries R, Kerr S, Lambin EF, Liu J, Marcotullio PJ, Messerli P, Reenberg A, Rueda X, Swaffield SR, Wicke B, Zimmerer KS: **Significance of telecoupling for exploration of land-use change**. In *Rethinking Global land Use in an Urban Era*: MIT Press; 2014.
106. * Friis C, Nielsen J: **Land-use change in a telecoupled world: the relevance and applicability of the telecoupling framework in the case of banana plantation expansion in Laos**. *Ecology and Society* 2017, **22**. The paper presents a qualitative operationalisation of the telecoupling framework using ethnographic data and progressive contextualisation. The authors identify multiple telecouplings linking a banana land system in northern Laos to land systems elsewhere, and illustrate how this banana system is not only a receiving system of major capital and migrant labour inflows, but also a spillover system of an important political conflict between China and the Philippines.

107. Friis C, Nielsen JØ, Otero I, Haberl H, Niewöhner J, Hostert P: **From teleconnection to telecoupling: taking stock of an emerging framework in land system science**. *Journal of Land Use Science* 2016, **11**:131-153.
 108. Anselin L: **Spatial externalities**. Sage Publications; 2003.
 109. Lewis DJ, Barham BL, Zimmerer KS: **Spatial externalities in agriculture: Empirical analysis, statistical identification, and policy implications**. *World Development* 2008, **36**:1813-1829.
 110. Van Noordwijk M, Poulsen JG, Ericksen PJ: **Quantifying off-site effects of land use change: filters, flows and fallacies**. *Agriculture, Ecosystems & Environment* 2004, **104**:19-34.
 111. Meyfroidt P, Rudel TK, Lambin EF: **Forest transitions, trade, and the global displacement of land use**. *Proceedings of the National Academy of Sciences of the United States of America* 2010, **107**:20917-20922.
 112. Lambin EF, Meyfroidt P: **Global land use change, economic globalization, and the looming land scarcity**. *Proceedings of the National Academy of Sciences of the United States of America* 2011, **108**:3465-3472.
 113. Weinzettel J, Hertwich EG, Peters GP, Steen-Olsen K, Galli A: **Affluence drives the global displacement of land use**. *Global Environmental Change* 2013, **23**:433-438.
 114. * Wang F, Liu J: **Conservation planning beyond giant pandas: the need for an innovative telecoupling framework**. *Science China Life Sciences* 2016.
- This paper illustrates how the telecoupling framework can be used for conservation planning. It shows how a small giant panda conservation area is telecoupled with multiple systems through flows, many of which are spillover systems.
115. Deines JM, Liu X, Liu J: **Telecoupling in urban water systems: an examination of Beijing's imported water supply**. *Water International* 2016, **41**:251-270.
 116. * Yang W, Hyndman D, Winkler J, Viña A, Deines J, Lupi F, Luo L, Li Y, Basso B, Zheng C, Ma D, Li S, Liu X, Zheng H, Cao G, Meng Q, Ouyang Z, Liu J: **Urban water sustainability: framework and application**. *Ecology and Society* 2016, **21**.
- This paper applies the telecoupling framework to identify spillover systems in the context of urban water sustainability.
117. Yang D, Cai J, Hull V, Wang K, Tsang YP, Liu J: **New road for telecoupling global prosperity and ecological sustainability**. *Ecosystem Health and Sustainability* 2016, **2**.
 118. Liu J, Yang W: **Integrated assessments of payments for ecosystem services programs**. *Proceedings of the National Academy of Sciences of the United States of America* 2013, **110**:16297-16298.
 119. Liu J, Hull V, Moran E, Nagendra H, Swaffield SR, Turner B: **Applications of the telecoupling framework to land-change science**. In *Rethinking Global land Use in an Urban Era*. MIT Press; 2014.
 120. Carlson AK, Taylor WW, Liu J, Orlic I: **The Telecoupling Framework: An Integrative Tool for Enhancing Fisheries Management**. *Fisheries* 2017, **42**:395-397.
 121. * Tonini F, Liu J: **Telecoupling Toolbox: spatially explicit tools for studying telecoupled human and natural systems**. *Ecology and Society* 2017, **22**.
- This paper describes a toolbox that can be used to visualize and analyze a variety of socioeconomy and environmental issues with the telecoupling framework. It provides some examples and tools to help readers understand telecoupling and spillover systems.

122. Liu J, Hull V, Yang W, Viña A, Chen X, Ouyang Z, Zhang H (Eds): *Pandas and People: Coupling Human and Natural Systems for Sustainability*: Oxford University Press; 2016.
123. Torres A, Brandt J, Lear K, Liu J: **A looming tragedy of the sand commons**. *Science* 2017, **357**:970-971.
124. Dauvergne P: *The shadows of consumption: Consequences for the global environment*: MIT press; 2008.
125. Friis C, Nielsen JØ: **On the System. Boundary Choices, Implications, and Solutions in Telecoupling Land Use Change Research**. *Sustainability* 2017, **9**:974.
126. ** Liu J, Mooney H, Hull V, Davis SJ, Gaskell J, Hertel T, Lubchenco J, Seto KC, Gleick P, Kremen C, Li S: **Systems integration for global sustainability**. *Science* 2015, **347**:1258832.
- This paper identifies the urgent need to use systems integration frameworks to study global challenges. It also address future research directions , including the quantification of spillover systems and feedbacks.
127. Liu J, Yang W, Li S: **Framing ecosystem services in the telecoupled Anthropocene**. *Frontiers in Ecology and the Environment* 2016, **14**:27-36.
128. * Liu J, Hull V, Luo J, Yang W, Liu W, Viña A, Vogt C, Xu Z, Yang H, Zhang J, et al.: **Multiple telecouplings and their complex interrelationships**. *Ecology and Society* 2015, **20**.
- This paper shows the multiple telecoupling processes between a protected area and the rest of the world. The telecoupling processes have various properties and effects, and they interact with each other and evolve over time.
129. Eakin H, Rueda X, Mahanti A: **Transforming governance in telecoupled food systems**. *Ecology and Society* 2017, **22**.
130. Silva RFB, Batistella M, Dou Y, Moran E, Torres SM, Liu J: **The Sino-Brazilian telecoupled soybean system and cascading effects for the exporting country**. *Land* 2017, **6**:53.
131. Zimmerer KS, Vaca HLR: **Fine-grain spatial patterning and dynamics of land use and agrobiodiversity amid global changes in the Bolivian Andes**. *Regional Environmental Change* 2016, **16**:2199-2214.
132. Kanemoto K, Moran D, Lenzen M, Geschke A: **International trade undermines national emission reduction targets: New evidence from air pollution**. *Global Environmental Change* 2014, **24**:52-59.
133. Liu J: **Forest sustainability in China and implications for a telecoupled world**. *Asia & the Pacific Policy Studies* 2014, **1**:230-250.
134. White R: *Transnational environmental crime: Toward an eco-global criminology*: Routledge; 2011.
135. Bierman VJ, Kaur J, DePinto JV, Feist TJ, Dilks DW: **Modeling the role of zebra mussels in the proliferation of blue-green algae in Saginaw Bay, Lake Huron**. *Journal of Great Lakes Research* 2005, **31**:32-55.
136. Lynch J: **Toxic Lake Erie algae spotted but drinking water safe**. The Detroit News; 2015. Available online: <http://www.detroitnews.com/story/news/local/michigan/2015/07/28/toxic-lake-erie-algae-found-drinking-water-safe/30788237/>
137. Balmford A, Beresford J, Green J, Naidoo R, Walpole M, Manica A: **A Global Perspective on Trends in Nature-Based Tourism**. *Plos Biology* 2009, **7**.

138. Gaines SD, White C, Carr MH, Palumbi SR: **Designing marine reserve networks for both conservation and fisheries management**. *Proceedings of the National Academy of Sciences* 2010, **107**:18286-18293.
 139. Lewis DJ, Barham BL, Robinson B: **Are there spatial spillovers in the adoption of clean technology? The case of organic dairy farming**. *Land Economics* 2011, **87**:250-267.
 140. Brown J: **Zoo orders Chinese food delivery from Holland: Edinburgh-based panda breeding plan described as 'madness' after bamboo is sourced in Netherlands**. 08 Nov 2011. *The Independent* 2011.
 141. Buckingham KC, David JNW, Jepson P: **Environmental reviews and case studies: diplomats and refugees: panda diplomacy, soft “cuddly” power, and the new trajectory in panda conservation**. *Environmental Practice* 2013, **15**:262-270.
 142. Parish ES, Herzberger AJ, Phifer CC, Dale VH: **Telecoupled transatlantic wood pellet trade provides benefits in both the sending and receiving systems**. *Ecology and Society* 2018, [In press].
 143. Leisz SJ, Rounds E, Thi Bich Yen N, Nguyen Bang T, Douangphachanh S, Ninchaleune B: **Telecouplings in the east–west economic corridor within borders and across**. *Remote Sensing* 2016, **8**:1012.
 144. International Civil Aviation Organization: **Carbon emissions calculator**. Montréal, Quebec, Canada; 2014. Available online: <http://www.icao.int/environmental-protection/CarbonOffset/Pages/default.aspx>
 145. * Sun J, Tong YX, Liu J: **Telecoupled land-use changes in distant countries**. *Journal of Integrative Agriculture* 2017, **16**:368-376.
- Using remote sensing data, this paper demonstrates the simultaneous agricultural land use changes in the receiving, sending, and spillover systems associated with international food trade.
146. Zhao M, Zhang Y, Ma W, Fu Q, Yang X, Li C, Zhou B, Yu Q, Chen L: **Characteristics and ship traffic source identification of air pollutants in China's largest port**. *Atmospheric environment* 2013, **64**:277-286.
 147. Ravindran MS: **China's potential for economic coercion in the South China Sea disputes: a comparative study of the Philippines and Vietnam**. *Journal of Current Southeast Asian Affairs* 2013, **31**:105-132.
 148. Zimmerer KS: **The compatibility of agricultural intensification in a global hotspot of smallholder agrobiodiversity (Bolivia)**. *Proceedings of the National Academy of Sciences of the United States of America* 2013, **110**:2769-2774.
 149. Kastner T, Schaffartzik A, Eisenmenger N, Erb KH, Haberl H, Krausmann F: **Cropland area embodied in international trade: Contradictory results from different approaches**. *Ecological Economics* 2014, **104**:140-144.
 150. *Bruckner M, Fischer G, Tramberend S, Giljum S: **Measuring telecouplings in the global land system: a review and comparative evaluation of land footprint accounting methods**. *Ecological Economics* 2015, **114**:11-21.
- This paper discusses the land embodied in international trade. By reviewing the shortcomings of existing accounting methods, the authors proposed that, instead of physical flows, the use of monetary flow as a proxy may contribute to robust and transparent assessment.
151. Schaffartzik A, Haberl H, Kastner T, Wiedenhofer D, Eisenmenger N, Erb KH: **Trading land: a review of approaches to accounting for upstream land requirements of traded products**. *Journal of industrial ecology* 2015, **19**:703-714.

- 1 152. Xiong H, Millington, J.D.A and Xu, W: **Trade in the Telecoupling Framework:**
2 **Evidence from Metal Industry.** *Ecology and Society* 2017, [In press].
- 3 153. Parker DC, Munroe DK: **The geography of market failure: edge-effect externalities**
4 **and the location and production patterns of organic farming.** *Ecological Economics*
5 2007, **60**:821-833.
- 6 154. Eftelioglu E, Jiang Z, Ali R, Shekhar S: **Spatial computing perspective on food energy**
7 **and water nexus.** *Journal of Environmental Studies and Sciences* 2016, **6**:62-76.
- 8 155. Sun J, Wu W, Tang H, Liu J: **Spatiotemporal patterns of non-genetically modified**
9 **crops in the era of expansion of genetically modified food.** *Scientific Reports* 2015, **5**.
- 10 156. Dou Y, Silva RFB, Yang H, Liu J: **Spillover effect offsets the conservation effort in**
11 **the Amazon.** *Journal of Geographical Sciences* 2018, [In press].
- 12 157. Snijders TA: **Statistical models for social networks.** *Annual Review of Sociology* 2011,
13 **37**.
- 14 158. Alcamo J, Kreileman E, Leemans R: **Global models meet global policy: How can**
15 **global and regional modellers connect with environmental policy makers? What has**
16 **hindered them? What has helped?** *Global Environmental Change* 1996, **6**:255-259.
- 17 159. Alcamo J, Leemans R, Kreileman E: *Global change scenarios of the 21st century:*
18 *Results from the IMAGE 2.1 model.* Pergamon: Elsevier; 1998.
- 19 160. * Millington JD, Xiong H, Peterson S, Woods J: **Integrating Modelling Approaches for**
20 **Understanding Telecoupling: Global Food Trade and Local Land Use.** *Land* 2017, **6**:56.
21 This paper provides perspectives on how to incorporate different approaches to model
22 telecoupling dynamics and effects.
- 23 161. Creswell JW, Creswell JD: *Research design: Qualitative, quantitative, and mixed*
24 *methods approaches:* Sage publications; 2009.
- 25 162. Creswell JW, Clark VLP: *Designing and conducting mixed methods research.* Los
26 Angeles: SAGE Publications; 2010.
- 27 163. Johnson RB, Onwuegbuzie AJ, Turner LA: **Toward a definition of mixed methods**
28 **research.** *Journal of mixed methods research* 2007, **1**:112-133.
- 29 164. Challies E, Newig J, Lenschow A: **What role for social–ecological systems research in**
30 **governing global teleconnections?** *Global environmental change* 2014, **27**:32-40.
- 31 165. * Lenschow A, Newig J, Challies E: **Globalization’s limits to the environmental state?**
32 **Integrating telecoupling into global environmental governance.** *Environmental Politics*
33 2016, **25**:136-159.
34 This paper discusses environmental governance challenges posed by the global telecoupling, and
35 considers a range of policy and governance options potentially open to states to address
36 environmental problems arising within and beyond national borders as a result of telecoupling.
- 37 166. Boström M, Jönsson AM, Lockie S, Mol AP, Oosterveer P: **Sustainable and**
38 **responsible supply chain governance: challenges and opportunities.** *Journal of Cleaner*
39 *Production* 2015, **107**:1-7.
- 40 167. Neilson J, Pritchard B, Yeung HWC: **Global value chains and global production**
41 **networks in the changing international political economy: An introduction.** *Review of*
42 *International Political Economy* 2014, **21**:1-8.
- 43 168. Ponte S, Gibbon P, Vestergaard J: *Governing through standards: Origins, drivers and*
44 *limitations:* Palgrave Macmillan; 2011.

169. Kalfagianni A, Pattberg P: **Participation and inclusiveness in private rule-setting organizations: does it matter for effectiveness?** *Innovation: The European Journal of Social Science Research* 2013, **26**:231-250.
170. Cease AJ, Elser JJ, Fenichel EP, Hadrich JC, Harrison JF, Robinson BE: **Living with locusts: Connecting soil nitrogen, locust outbreaks, livelihoods, and livestock markets.** *Bioscience* 2015, **65**:551-558.
171. McDermott M, Mahanty S, Schreckenberg K: **Examining equity: a multidimensional framework for assessing equity in payments for ecosystem services.** *Environmental Science & Policy* 2013, **33**:416-427.
172. Pascual U, Phelps J, Garmendia E, Brown K, Corbera E, Martin A, Gomez-Baggethun E, Muradian R: **Social equity matters in payments for ecosystem services.** *BioScience* 2014, **64**:1027-1036.
173. Schomers S, Matzdorf B: **Payments for ecosystem services: A review and comparison of developing and industrialized countries.** *Ecosystem services* 2013, **6**:16-30.
174. Calvet-Mir L, Corbera E, Martin A, Fisher J, Gross-Camp N: **Payments for ecosystem services in the tropics: a closer look at effectiveness and equity.** *Current Opinion in Environmental Sustainability* 2015, **14**:150-162.
175. Fang Q, Elliott M: **China: prevent misuse of eco-compensation.** *Nature* 2016, **533**:321-321.
176. Dales JH: *Pollution, property & prices: an essay in policy-making and economics*: Edward Elgar Publishing; 2002.
177. Choi AS, Ritchie BW: **Willingness to pay for flying carbon neutral in Australia: an exploratory study of offsetter profiles.** *Journal of Sustainable Tourism* 2014, **22**:1236-1256.
178. Sikor T, Auld G, Bebbington AJ, Benjaminsen TA, Gentry BS, Hunsberger C, Izac A-M, Margulis ME, Plieninger T, Schroeder H: **Global land governance: from territory to flow?** *Current Opinion in Environmental Sustainability* 2013, **5**:522-527.
179. U.S. Department of Agriculture National Institute of Food and Agriculture: **Extension.** Washington, D.C.; 2015. Available online: <https://nifa.usda.gov/Extension/>
180. National Sea Grant College Program: **National Sea Grant College Program Act.** NSGCP. Silver Spring, Maryland; 2014. Available online: <https://legcounsel.house.gov/Comps/National%20Sea%20Grant%20College%20Program%20Act.pdf>
181. Ekanem E, Mafuyai-Ekanem M, Tegegne F, Muhammad S, Singh S: **Consumer trust in extension as a source of biotech food information.** *Journal of Extension* 2006, **44**.
182. Association of Public and Land-Grant Universities: **Cooperative Extension Section.** Available online: www.aplu.org/members/commissions/food-environment-and-renewable-resources/board-on-agriculture-assembly/cooperative-extension-section/
183. Pielke Jr RA: *The honest broker: making sense of science in policy and politics*: Cambridge University Press; 2007.
184. Meyfroidt P, Lambin EF: **Forest transition in Vietnam and displacement of deforestation abroad.** *Proceedings of the National Academy of Sciences* 2009, **106**:16139-16144.
185. Gan J, McCarl BA: **Measuring transnational leakage of forest conservation.** *Ecological Economics* 2007, **64**:423-432.

- 1 186. Oliveira PJ, Asner GP, Knapp DE, Almeyda A, Galván-Gildemeister R, Keene S, Raybin
2 RF, Smith RC: **Land-use allocation protects the Peruvian Amazon.** *Science* 2007,
3 **317**:1233-1236.
- 4 187. Lapola DM, Schaldach R, Alcamo J, Bondeau A, Koch J, Koelking C, Priess JA:
5 **Indirect land-use changes can overcome carbon savings from biofuels in Brazil.**
6 *Proceedings of the National Academy of Sciences of the United States of America* 2010,
7 **107**:3388-3393.
- 8 188. Arima EY, Richards P, Walker R, Caldas MM: **Statistical confirmation of indirect land**
9 **use change in the Brazilian Amazon.** *Environmental Research Letters* 2011, **6**:024010.
- 10 189. Didham RK, Barker GM, Bartlam S, Deakin EL, Denmead LH, Fisk LM, Peters JM,
11 Tylianakis JM, Wright HR, Schipper LA: **Agricultural intensification exacerbates**
12 **spillover effects on soil biogeochemistry in adjacent forest remnants.** *PLoS One* 2015,
13 **10**:e0116474.
- 14 190. Vanderploeg H: **The Zebra Mussel Connection: Nuisance Algal Blooms, Lake Erie**
15 **Anoxia, and other Water Quality Problems in the Great Lakes.** Silver Spring, Maryland:
16 National Oceanic and Atmospheric Administration, Great Lakes Environmental Research
17 Laboratory; 2002.
- 18 191. Associação Nacional Para Difusão de Adubos [Brazilian National Fertilizer Association]:
19 **Principais indicadores do setor de fertilizantes 2017 [Main indicators of the fertilizers**
20 **market 2017].** Available online:
21 http://www.anda.org.br/estatistica/Principais_Indicadores_2016.pdf

Table 1

Concepts related to spillover systems

Concept	Definition	Examples
Displacement	A decrease in demand or supply of a good or service leads to the increase in demand or supply elsewhere [89]. Displacement can furthermore describe how demand for high value products or crops can push uses of other, more extensive resources, onto more marginal lands [17]	The forest regrowth in Vietnam is contributed largely by the displacement of its domestic wood demand to other tropical countries [89]
Leakage	An action or a policy that aims to reduce the undesirable effects in a target place but leads to the occurrence of such effects elsewhere [89,90]	Conservation efforts to protect Amazon forests lead to more deforestation and disturbances in surrounding unprotected native vegetation [91]
Indirect land use	Unintended land use change caused by the intended (also called direct) land use change elsewhere [92]	Brazil's government planned a large increase in biofuel production, which led to the replacement of pastureland by crops for biofuel production, but unintentionally pushed cattle ranching into the Amazon biome [93]
Off-site impact	Biophysical impacts happen outside of the land use change unit [15]	Fertilizers and livestock on pastoral farms affect the soil biogeochemistry of adjacent forests [94]
Spatial Externality	Economic or other activities in one area have effects on other spaces [14].	Land parcels that were certified organic in California Central Valley were affected by surrounding non-organic land uses [58]

1 **Table 2**

2

3 **Typology of spillover systems**

Criterion	Type of spillover systems	Examples	Methods for investigating spillover systems
Flows to and from sending and receiving systems	Sending/receiving-linked: Flows to and from both sending and receiving systems	Countries (e.g. those in Africa) engaging in soybean trade with Brazil and China [31]	Statistical analysis of data on trade and other issues
	Sending-linked: Flows to and from sending systems only	Yangtze Delta with increased seawater encroachment due to the South-North Water Transfer Project [32]	Relevant measurements (e.g. water, sediments)
	Receiving-linked: Flows to and from receiving systems only	Areas supplying bamboo to zoos and areas from which people travel to see the pandas in zoos that have pandas from Wolong [33*]	Interviews with visitors and news media reports
	Stopover	Stopover for Kirtland's warblers (between USA and Bahamas) [3].	Field work observations and the use of GPS tracking devices
Distance between sending/receiving and spillover systems	Distant	Canada and other countries that provide fertilizers to Brazil for soybean production intended for consumption in China (Fig. 2)	Statistical analysis on international trade of fertilizers
	Adjacent	Fields and farmers in close proximity to newly irrigated areas may indirectly benefit from international development projects [36].	Interviews with farmers, focus groups with irrigators' association, analysis of field clustering using remote sensing and Geographic Information Systems, and join-count statistics
Effect	Positive	Holland received more than US\$100,000 annually for providing bamboo to feed the pandas in Edinburgh Zoo from Wolong [45,46]	Interview with zoo keepers of Edinburg and bamboo growers in the Netherlands.

Size	Negative	Northern Ohio and southern Michigan lost their drinking water supply due to zebra mussels spread through shipping [41,95]	Interviews with local residents and news media reports; Monitoring drinking water, nutrient loading, hydrology, and food web changes
	Large	Global increase in atmospheric CO ₂ concentration due to air transport of a pair of pandas from Wolong to Edinburgh [33*]	Calculation of relationships between CO ₂ emissions (measurements) and traveling methods (interviews or news reports) and distances (measurements)
	Small	New market outlets for rural villages located near the East-West Economic Corridor between Vietnam and Thailand due to nearby development with foreign aid investment [48].	Interviews with villagers and local government officials
Role of agents in spillover systems	Active	South Africa that facilitates investment from land-title-receiving countries to land-title-sending countries [24]	Interviews with relevant stakeholders
	Passive	Global increase in atmospheric CO ₂ concentrations due to transportation emissions of flying and driving tourists [49]	Calculation of relationships between CO ₂ emissions (measurements) and traveling methods (interviews or news reports) and distances (measurements)

Origin of spillover systems	Sending-converted: Sending systems become spillover systems	United States, a traditional top soybean sending system to China, has recently become a spillover system because of competition from Brazil [35,50*]	Statistical analysis
	Receiving-converted: Receiving systems become spillover systems	Shanghai, a megacity and a receiving system for goods, has become a spillover system because it has the world's largest container shipping port since 2008 [51]	Statistical analysis
	New spillover systems: Spillover systems that were not previously in the telecoupled systems	The invasion of fire ants from South America (sending system) to southern United States (receiving system) via shipping, and later to California (spillover system). Taiwan later became a new spillover system of fire ant invasion due to the shipping from California [5]	Molecular marker

1
2
3
4
5
6
7
8

Figure 1




Figure 1. Four possible ways of connections between spillover and sending/receiving systems: (a) spillover system is connected with both sending and receiving systems; (b) spillover system is only connected with sending system; (c) spillover system is only connected with receiving system; (d) spillover system is connected sending and receiving systems by being an intermediate stopover or pathway between the two systems.

Figure 2




Figure 2. Flows of soybean from Brazil to importing countries and the spillover systems affected by the increased Brazilian demand for fertilizers. (Data source, [96]).